



OFFICIAL HOLSTEIN PEDIGREE

Holstein Association USA, Inc.



11H016872 ALTATURBOTIME
03/23/2023 MALE
ALTA GENETICS, INC.
1-263090 RANGE RD 11
ROCKY VIEW COUNTY, AB T4B 2T3
CANADA
403/226-0666

PTA +1593M +132F +71P 79%R 8/2024
PTA +1163NM +.26%F +.08%P 100%US
PTA +5.1PL 2.76SCS -.7DPR2.8%DCE
PTA +1.82T +2.14UDC +.22FLC 78%R 8/2024
PTA +333FE +1.2FI 2.3%SCE

11H016872 ALTATURBOTIME
03/23/2023 MALE
ALTA GENETICS, INC.
1-263090 RANGE RD 11
ROCKY VIEW COUNTY, AB T4B 2T3
CANADA
403/226-0666

PTA +1359M +132F +64P 99%R 8/2024
PTA +1209NM +.30%F +.08%P 97%US
PTA +5.7PL 2.59SCS -1.1DPR3.8%DCE
PTA +1.93T +2.38UDC +.11FLC 99%R 8/2024

PTA +1671M +101F +71P 86%R 8/2024
PTA +909NM +.14%F +.07%P
PTA +3.9PL 2.77SCS +.7DPR2.0%DCE
PTA +1.83T +1.10UDC +1.51FLC 84%R 8/2024

11H016872 ALTATURBOTIME
03/23/2023 MALE
ALTA GENETICS, INC.
1-263090 RANGE RD 11
ROCKY VIEW COUNTY, AB T4B 2T3
CANADA
403/226-0666

PTA +1431M +115F +60P 82%R 8/2024
PTA +1090NM +.22%F +.05%P 100%US
PTA +5.6PL 2.67SCS -.1DPR3.1%DCE
PTA +2.05T +2.38UDC +.95FLC 81%R 8/2024
PTA +297FE +0.8FI 2.4%SCE

PTA +1731M +129F +73P 81%R 8/2024
PTA +1159NM +.23%F +.07%P
PTA +4.6PL 2.87SCS -1.1DPR2.3%DCE
PTA +1.05T +1.63UDC -.27FLC 80%R 8/2024
PTA +341FE +1.1FI 2.1%SCE

PTA +1491M +109F +63P 99%R 8/2024
PTA +1044NM +.19%F +.06%P 65%US
PTA +5.0PL 2.83SCS -1.3DPR1.2%DCE
PTA +.65T +1.20UDC -.18FLC 97%R 8/2024

PTA +1549M +118F +65P 82%R 8/2024
PTA +1082NM +.22%F +.06%P
PTA +4.6PL 2.69SCS -1.3DPR3.2%DCE
PTA +.84T +1.70UDC -.23FLC 81%R 8/2024

11H016872 ALTATURBOTIME
03/23/2023 MALE
ALTA GENETICS, INC.
1-263090 RANGE RD 11
ROCKY VIEW COUNTY, AB T4B 2T3
CANADA
403/226-0666

PTA +195M +101F +38P 99%R 8/2024
PTA +926NM +.36%F +.12%P 97%US
PTA +.44T +.60UDC -.48FLC 98%R 8/2024

PTA +1276M +97F +67P 99%R 8/2024
PTA +797NM +.18%F +.10%P 64%US
PTA +1.88T +1.63UDC +2.04FLC 99%R 8/2024

PTA +1214M +97F +51P 88%R 8/2024
PTA +.47T +1.20UDC -.40FLC 86%R 8/2024

PTA +1669M +81F +65P 99%R 8/2024
PTA +1045NM +.06%F +.05%P 21%US
PTA +1.48T +1.24UDC +1.23FLC 99%R 8/2024

PTA +1214M +97F +51P 88%R 8/2024
PTA +.47T +1.20UDC -.40FLC 86%R 8/2024

PTA +1669M +81F +65P 99%R 8/2024
PTA +1045NM +.06%F +.05%P 21%US
PTA +1.48T +1.24UDC +1.23FLC 99%R 8/2024

PTA +1214M +97F +51P 88%R 8/2024
PTA +.47T +1.20UDC -.40FLC 86%R 8/2024

PTA +1669M +81F +65P 99%R 8/2024
PTA +1045NM +.06%F +.05%P 21%US
PTA +1.48T +1.24UDC +1.23FLC 99%R 8/2024

PTA +1214M +97F +51P 88%R 8/2024
PTA +.47T +1.20UDC -.40FLC 86%R 8/2024

PTA +1669M +81F +65P 99%R 8/2024
PTA +1045NM +.06%F +.05%P 21%US
PTA +1.48T +1.24UDC +1.23FLC 99%R 8/2024

PTA +1214M +97F +51P 88%R 8/2024
PTA +.47T +1.20UDC -.40FLC 86%R 8/2024

PTA +1669M +81F +65P 99%R 8/2024
PTA +1045NM +.06%F +.05%P 21%US
PTA +1.48T +1.24UDC +1.23FLC 99%R 8/2024

PTA +1214M +97F +51P 88%R 8/2024
PTA +.47T +1.20UDC -.40FLC 86%R 8/2024

11H016872 ALTATURBOTIME
03/23/2023 MALE
ALTA GENETICS, INC.
1-263090 RANGE RD 11
ROCKY VIEW COUNTY, AB T4B 2T3
CANADA
403/226-0666

PTA +195M +101F +38P 99%R 8/2024
PTA +926NM +.36%F +.12%P 97%US
PTA +.44T +.60UDC -.48FLC 98%R 8/2024

PTA +1276M +97F +67P 99%R 8/2024
PTA +797NM +.18%F +.10%P 64%US
PTA +1.88T +1.63UDC +2.04FLC 99%R 8/2024

PTA +1214M +97F +51P 88%R 8/2024
PTA +.47T +1.20UDC -.40FLC 86%R 8/2024

PTA +1669M +81F +65P 99%R 8/2024
PTA +1045NM +.06%F +.05%P 21%US
PTA +1.48T +1.24UDC +1.23FLC 99%R 8/2024

PTA +1214M +97F +51P 88%R 8/2024
PTA +.47T +1.20UDC -.40FLC 86%R 8/2024

PTA +1669M +81F +65P 99%R 8/2024
PTA +1045NM +.06%F +.05%P 21%US
PTA +1.48T +1.24UDC +1.23FLC 99%R 8/2024

PTA +1214M +97F +51P 88%R 8/2024
PTA +.47T +1.20UDC -.40FLC 86%R 8/2024

PTA +1669M +81F +65P 99%R 8/2024
PTA +1045NM +.06%F +.05%P 21%US
PTA +1.48T +1.24UDC +1.23FLC 99%R 8/2024

PTA +1214M +97F +51P 88%R 8/2024
PTA +.47T +1.20UDC -.40FLC 86%R 8/2024

PTA +1669M +81F +65P 99%R 8/2024
PTA +1045NM +.06%F +.05%P 21%US
PTA +1.48T +1.24UDC +1.23FLC 99%R 8/2024

PTA +1214M +97F +51P 88%R 8/2024
PTA +.47T +1.20UDC -.40FLC 86%R 8/2024

PTA +1669M +81F +65P 99%R 8/2024
PTA +1045NM +.06%F +.05%P 21%US
PTA +1.48T +1.24UDC +1.23FLC 99%R 8/2024

PTA +1214M +97F +51P 88%R 8/2024
PTA +.47T +1.20UDC -.40FLC 86%R 8/2024